ICImmunoClone

Recombinant Mouse Transmembrane Protease, Serine 2 (TMPRSS2) Catalog # IC8895

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

[PROPERTIES]

Source: Prokaryotic expression

Host: E.coli

Residues: Ile254~Ser490

Tags: N-terminal His Tag

Subcellular Location: Membrane, Secreted

Purity: > 97%

Traits: Freeze-dried powder

Buffer formulation: 20mM Tris, 150mM NaCl, pH8.0,

containing 1mM EDTA, 1mM DTT, 0.01% SKL, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.2

Predicted Molecular Mass: 29.6KDa

Accurate Molecular Mass: 30kDa as determined by SDS-PAGE reducing conditions.

Figure 2. SDS-PAGE

ImmunoClone © 2016 Privacy Policy

ImmunoClone(I&C) America P. O. Box 3988 Huntington Station, NY 55114 USA Give us a call or send us a fax

Tel: 631-424-0089 Fax: 631-424-0095 Send a message to our company

info@immunoclone.com



IC ImmunoClone

[USAGE]

Reconstitute in 20mM Tris, 150mM NaCI (pH8.0) to a concentration of 0.1-1.0

mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[SEQUENCE]

IVGGLNA SPGDWPWQVS LHVQGVHVCG GSIITPEWIV TAAHCVEEPL SSPRYWTAFA GILRQSLMFY GSRHQVEKVI SHPNYDSKTK NNDIALMKLQ TPLAFNDLVK PVCLPNPGMM LDLDQECWIS GWGATYEKGK TSDVLNAAMV PLIEPSKCNS KYIYNNLITP AMICAGFLQG SVDSCQGDSG GPLVTLKNGI WWLIGDTSWG SGCAKALRPG VYGNVTVFTD WIYQQMRANS

[IMPORTANT NOTE]

The kit is designed for research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.

ImmunoClone © 2016 Privacy Policy

ImmunoClone(I&C) America P. O. Box 3988 Huntington Station, NY 55114 USA Give us a call or send us a fax

Tel: 631-424-**6**89 Fax: 631-424-0095



Send a message to our company

info@immunoclone.com

